æ		
73		US.
2	45	×.
	Or a	
7.5	34	$\nu$ , $\nu$
	- 3	
12	12.	1.5
×	489	183
v	***	47.
٠.	200	32
ď	z è	73
а	22	72
÷.	-	111
		373
8	φ,	
ĸ.		. 6
7		70
÷		-33
1	1	22
7		
2	~~	
3	470	77
3.		250
т	3.1	
и.		. 72
	44	136
ĸ.	23	13
×		
	100	1
19	34.	45.00
9	. 5	32
		1.5
÷	40	
3	-4	20
	sol.	.369
		10
×	F 9	72
÷	dig.	123
ĸ.	22	38
٥.	- C	:::2
×	,,,,,,,	**
Z.	422	200
•		*33
	73	У.
c		450
	***	Y'A
*	100	ob.
9	•	
ж.	90	1.3
	ıŁ.	1×2
.2		100
8	32	155
80		ZC.
w	****	+44
×		4%
'n	150	48
r	27	N.
í	230	
1		
1	-	
1		
****		
1		
100 March 1989		
The same of the same of		
The state of the s		
The state of the state of		
Control of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The second of the second		The second second second
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		The second second second
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The second of the second		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.
The production of the producti		AND AND THE PARTY OF PERSONS ASSESSED.

Colorado Allergy and Anaphylaxis Emergency Care Plan and Medication Orders Student's Name: \_\_\_\_\_\_ D.O.B. \_\_\_\_\_ Grade: \_\_\_\_\_ Place child's School: \_\_\_\_\_\_ Teacher: \_\_\_\_\_ photo here ALLERGY TO: HISTORY: **Asthma:** YES (higher risk for severe reaction) – refer to their asthma care plan **♦ STEP 1: TREATMENT** 1. INJECT EPINEPHRINE IMMEDIATELY 2. Call 911 Ask for ambulance with epinephrine Tell EMS when epinephrine was given **SEVERE SYMPTOMS:** Any of the following: 3. Stay with child and LUNG: Short of breath, wheeze, repetitive cough Call parent/guardian and school nurse THROAT: Tight, hoarse, trouble breathing/swallowing If symptoms don't improve or worsen MOUTH: Swelling of the tongue and/or lips give second dose of epi if available as HEART: Pale, blue, faint, weak pulse, dizzy instructed below Many hives over body, widespread redness SKIN: Monitor student; keep them lying down. GUT: Vomiting or diarrhea (if severe or combined If vomiting or difficulty breathing, put with other symptoms student on side OTHER: Feeling something bad is about to happen, Give other medicine, if prescribed, (see below for Confusion, agitation orders) Do not use other medicine in place of epinphrine. USE EPINEPHRINE 1. Stay with child and MILD SYMPTOMS ONLY: · Alert parent and school nurse Itchy, runny nose, sneezing • Give antihistamine (if prescribed) NOSE: 2. If two or more mild symptoms present or SKIN: A few hives, mild itch symptoms progress GIVE EPINEPHRINE Mild nausea/discomfort GUT: and follow directions in above box DOSAGE: Epinephrine: inject intramuscularly using auto injector (check one): 0.3 mg 0.15 mg If symptoms do not improve \_\_\_\_ minutes or more, or symptoms return, 2<sup>nd</sup> dose of epinephrine should be given if available Antihistamine: (brand and dose) Asthma Rescue Inhaler (brand and dose)\_\_\_\_\_ Student has been instructed and is capable of carrying and self-administering own medication. Yes No Provider (print) \_\_\_\_\_Phone Number: \_\_\_\_\_ \_\_\_\_\_ Date: \_\_\_\_\_ Provider's Signature: ♦ STEP 2: EMERGENCY CALLS ♦ 1. If epinephrine given, call 911. State that an anaphylactic reaction has been treated and additional epinephrine, oxygen, or other medications may be needed. 2. Parent: Phone Number: \_\_\_\_\_ 3. Emergency contacts: Name/Relationship Phone Number(s) a. \_\_\_\_\_1) \_\_\_\_\_2) \_\_\_\_\_ DO NOT HESITATE TO ADMINISTER EMERGENCY MEDICATIONS I give permission for school personnel to share this information, follow this plan, administer medication and care for my child and, if necessary, contact our health care provider. I assume full responsibility for providing the school with prescribed medication and delivery/monitoring devices and release the school and personnel from any liability in compliance with their Board of Education policies. Date: \_\_\_\_\_ Parent/Guardian's Signature:

School Nurse:

Date: